



Description:

We build the following antennas and are proud to boast they are all designed and manufactured at our own facility in the UK. This current range of antennas were designed to augment our range of broadcast video links and camera control. We can also provide a bespoke antenna, filter and power amplifier design service on request.



SECTOR ANTENNA 180 DEGREE

Input Impedance:	50 Ohms
VSWR	less than 1.3:1
Polarization	Vertical /Horizontal
Gain	+6dBi
Dimensions	W50 X H86 X D80mm
Weight	70 gms
Color	White and Black
Connector	N-type
Frequency	2.0-2.7 / 2.7-2.9 / 3.0-3.7 / 4.4-5.0



SECTOR ANTENNA 80 DEGREE

Input Impedance:	50 Ohms
VSWR	less than 1.3:1
Polarization	Vertical /Horizontal
Gain	+9dBi
Beamwidth	E 80 Deg
Mounting	Aluminum Alloy Bracket
Dimensions	L 135mm X W 100 X 60
Connector	N-type
Frequency	2.0-2.7 / 2.7-2.9 / 3.0-3.7 / 4.4-5.9 / 6.0-7.5



SHORT VERTICAL OMNI

Input Impedance	50 ohms
VSWR	Less than 1.3:1
Polarization	Vertical
Gain	+3dBi
Dimensions	L 100mm X D 18mm
Weight	80gms
Color	White or Black
Connector	N- Type or SMA
Frequency	2.0-2.7 / 2.7-2.9 / 3.0-3.7 / 4.4-5.9 / 6.0-7.5

FLEXIBLE VERTICAL OMNI / LONG FLEXIBLE VERTICAL OMNI



Input Impedance	50 ohms
VSWR	Less than 1.3:1
Polarization	Vertical
Gain	+3dBi
Dimensions	L 290mm x D 22mm / L 400mm X D 22mm
Weight	160gms
Color	Black
Connector	N-type
Frequency	2.0-2.7 / 3.0-3.7 / 4.4-5.9 / 6.0-7.5




SHORT VERTICAL OMNI



LONG FLEXIBLE VERTICAL OMNI



HORIZONTAL



VERTICAL